


THE
SEDGWICK BROS.
—CO.—
—ILLUSTRATED—

CATALOGUE

FENCES AND GATES.

1890.

RICHMOND, IND.



THE SEDGWICK BROS. CO.,

MANUFACTURERS OF

WIRE NETTING,

FENCES AND GATES.

— ALSO —

SEDGWICK'S WIRE STRETCHER,

SUMMER HOUSES,

LAWN FURNITURE, &c.,

1517 NORTH F STREET,

RICHMOND, INDIANA.

(SEE PAGE 17.)

SEDGWICK'S STEEL WIRE FENCE.

SAFE! SURE! LASTING!

THE question of "Fence" and Fencing Material is each year becoming more prominent. Our rapidly disappearing forests warn us against the extravagance of wooden fencing, either rails, boards, or pickets. **Hedge** we have tried, and though it has been found to answer some of the requirements, it falls far short of success for general use.

The use of wire, both barbed and plain, was a step towards the "fence of the future," but the **danger of barbs**, and the inefficiency of these fences for anything except cattle, gave rise to the greater achievement in the invention of machinery for weaving the plain, safe wire into a strong **net-work** of meshes, sufficiently **small** to be sure protection for all small stock, and abundantly **strong** for the most vicious stock. Wire net-work is no **new** thing; it has been used with great satisfaction in England for more than fifty years, by wealthy gentlemen, and in some parts of the United States, where it has been giving excellent satisfaction for many years. It was formerly made by hand and was necessarily expensive, although only small wire could be used, and a netting of flimsy texture made. But by the use of machinery, a heavy, firm netting can now be made, sufficiently strong for any purpose, and at a price within the reach of any ordinary farmer. Since first putting the machinery (of which we are the original inventors) into operation, we have been almost daily in receipt of proofs and testimonials that this fence is practical, having the claims that must demand attention, and having these claims established by successful trial for ten years, and now have more than two thousand miles of our make in use.

Strength.

To illustrate the strength, we submit the following figures:

The margin wires—that is, the top and bottom—run nearly straight, and in all widths above 42 inches are of No. 8 wire. In the narrower widths No. 9 is used, and No. 13 for the **body or middle wires** in all widths. The breaking strain of No. 8 is about 2,800 lbs.; of No. 9 about 2,500, and No. 13, 800 lbs. For example:

Our 4x7 mesh takes two No. 13 wires for every 4 inches height, and our 5x8 inch mesh takes two No. 13 wires for each 5 inches height. Our standard farm fence is 5 inch mesh and 52 inches in height, and is made of two No. 8 wires, breaking strain, 2,800 lbs each	5,600
and twenty-one No. 13 wires, breaking strain 800 lbs. each	16,800

Total strength 22,400

Our single No. 8 wire is **better and stronger than any twisted selvage now used**. No body wire is expected to break with less than 800 pounds strain, and the wire will break before the twist will slip. **These figures show that this is no light bird-cage pattern, but a strong stock fence.**

Not Affected by Heat or Cold.

Owing to the peculiar construction of this netting, in diamond-shaped meshes, which allows for the contraction and takes up the expansion of the wire, the fence is not affected by heat or cold, and does not get to sagging after a season of service.

It Cannot be Washed Away by Floods.

This netting makes a most excellent fence for low lands that are subject to overflow. It can be put up in such a way as to hang fast, when the water is strong enough to tear out some of the posts. As the water can pass through it freely it is much less liable to be damaged than any other kind of fence. It has stood such tests effectually.

Cannot be Blown Down.

Not having surface exposed it is not affected by severe wind storms, and stands unharmed, **where a board or slat wire fence would be leveled to the ground.** For this reason it is particularly adapted to the treeless States, or to any locality where high winds are prevalent. This fence far exceeds all others in point of

Durability.

To insure this, every roll (unless galvanized) is thoroughly dipped in **Rust Proof Paint**, which we have carefully tested and found the **best** in the market for iron. We use **but one color.** It is made of Lake Superior iron ore and boiled linseed oil. It is a rich brown purple in color, very suitable for farm fencing; but if a lighter color is desired, and the fence is to be especially ornamental, this paint serves as an excellent foundation for any other color. The cost of repainting is small, (25 cts. per 100 feet), and there is no reason why this class of goods should not last for years and years. We are at all times prepared to fill orders for

Galvanized Goods.

both Fences and Gates. These are made from the best galvanized steel wire, carefully selected. The same numbers of wires are used in this. This, of course, needs no painting at any time, and defies decay almost indefinitely. We think this is the handsomer fence, and perhaps more lasting, if exposed to the salt breeze peculiar to coast countries, therefore preferable for those regions.

Wherever our work has been tried it has given satisfaction, and we offer no other **testimonials** than full and free reference to all our patrons, of which we have many in all parts of the United States, Canada, and the West Indies.

Directions for Putting Up Fence,

Are sent with every order. These are plainly written, and any one of average intelligence can soon understand how to go to work. The average cost of labor on farm fence is 8 cents per rod. When base and rail are used the labor expense is increased, but is yet much below the cost of erecting picket fence. We sell, when desired,

Tools for Putting Up Netting Fence,

or, in fact, any wire fence. The Cutting Pliers, as per cut No. 15, will be found a useful tool about any farm after the fencing is put up, for pulling, bending, or cutting wire, nails, etc.




Cut No. 15. Cutting Pliers. Price, \$1.00.

THE SEDGWICK STRETCHER,

Shown in cut No. 14, is a late invention, and has no ropes or chains to break, nor springs, pulleys or ratchets to get out of order. It is adapted to any kind of wire—plain, barbed or netting. Can be worked in any position. This Stretcher has a drawing power of 1500 lbs., and any amount of slack, no matter how great, can be taken out of the wire without loosening at all the tension on the post to which it is fastened to draw from. This is done by means of an eccentric, or dog, on the part attached to the posts, which holds the wire firmly, allowing the draft rod to be moved forward for a new hold. This is something no other Stretcher will do. It is made of the best material, malleable iron, wrought iron, and steel. Weight only seven pounds.

It is quicker and easier operated than any other Stretcher in the market.



Cut No. 14. Stretcher. Price \$1.00.

Where railing is not used with the netting, be sure to get a good Stretcher.



Cut No. 18. Showing Stretcher in Operation.

Stretcher, \$1.00. Stretcher and Pliers, \$2.00.

Posts.

We do not furnish posts unless specially ordered, and never include them in any estimates made to inquirers, unless asked to do so. We recommend any good wood posts, and suggest that whenever a dressed post, about 4x4 inch tapered to 2x4 inch can be used, it makes a much neater looking fence than just an ordinary rough post. They may (for farm fences) be placed 12 to 50 feet apart, and light false posts used between. By a false post we mean a "spreader," 1½x2 inch in size, which is stapled to the top and bottom wire to keep the netting margins from drawing together, and keeping the fence tightened and in good shape. This false post acts as a truss, and places any strain on the whole fence instead of a few wires. It also prevents hogs lifting the bottom wire. If posts are a decided object, they can be placed 40 or 50 feet apart, using "false" posts between, and make a splendid fence. If base and rail are used, it is best to set posts about 7 feet apart. Base and rail are not necessary in farm or poultry fences. We know of no iron post that is good and cheap enough to give satisfaction for general use.


Staples.

We keep in stock ordinary fence staples, which we sell at market prices, in proportion to amount ordered.

Fences put up with base and rail, as per cuts Nos. 1 and 10, require 1 lb. to 2 rods, or 3 lbs. per 100 feet. Put up like cut No. 3, without base or rail, requires 1 lb. per 100 feet.

SIZE OF MESH AND WIDTH OF NET.

Cut No. 4 represents the general shape of mesh, and shows twist correctly, but, of course, gives no idea as to



Cut No. 4.

correct size. We are now making three sizes of mesh, namely: 5x8, 4x7, 3x6; and in width, from 18 inches to 70 inches, as will be seen in Price List, pages 20, 21 and 22, of this catalogue.

The measure of the mesh is the extreme length and breadth of the opening, and a postal card will not go through a five inch mesh without touching at the four corners.

Our 4x7 mesh takes two No. 13 wires for every four inches height, and our 5x8 inch mesh takes two No. 13 wires for every 5 inches height; 3x6 mesh, two wires for every 3 inches height. These sizes are sold lineal measure, by the foot or rod.

Margin Wire.

Our netting has a large, smooth selvage or margin wire, which will admit of slipping the netting or body wires, backward or forward, so as to adjust the netting to any unevenness of the ground, over which the fence is to pass. This cannot be done with any netting that has a twisted cable for margin. Also, much stronger splices can be made with a single wire than with the cable margin.

Further and more explicit directions are sent with all shipments.

FARM FENCING.

Cut No. 3 represents a Farm Fence. The 52 inch height, 5x8 mesh, is most generally used.

It is high enough for all general farm fencing and will turn any stock that a **five-board fence with a cap will, and will last much longer, and is preferable in every respect.** Our 47 inch, 5x8 inch mesh, does very well for an inside fence, and if set on a ridge of earth 6 inches high (which is the proper way to set any fence), is just as good as a 52-inch fence. The 4x7 inch mesh contains one-fourth more wire than the 5x8 inch and is correspondingly stronger, and is better adapted for scale pens, bull lots, deer parks, and small enclosures near barns; 58 to 70 inch fence is used for these purposes, and no better or cheaper fence can be used.

[For Garden Fence, see page 12.]

Hedges Made Hog Tight.

There are many hedge fences now in use that are only a partial protection, but which can be made hog tight by using our narrow netting underneath, wired to hedge in place of posts. Some parties, who, for special reasons, desire to use barb wire, can also make a combination with our wire netting and make a hog-tight fence, but usually more expensive and not so good as all netting.

Our netting is strong enough to enclose the most vicious stock, and close enough to keep in the smallest pig.



Cut No. 3. FARM AND GARDEN FENCE.

[For heights, see pages 20, 21 and 22.]

Garden Fence.

For this purpose we recommend 44 inch fence, 3x6 inch mesh, with board at the bottom, but no railing; or 50 inch, 3x6 inch, put up as in cut No. 3. The 4x7 mesh will turn medium sized fowls, but if the lesser ones are to be excluded then it is preferable to use either a base or the 3x6 mesh netting. **There is no fence better adapted for gardens than this 3x6 mesh netting.** It shelters no enemies to crops, is a complete protection, takes up the least possible room, casts no shade, and is an excellent support to vines, desirable for trellises, arbors, &c.

The usual way of setting farm and garden fence is also shown in cut No. 3. The large posts are from 1 to 3 rods apart, with intermediate or "false posts" between, 6 to 8 feet apart. The false posts are 1½ inch strips, stapled to top and bottom wires to spread the netting, therefore do not extend into the ground.

Rabbit Proof Fencing.

The 2 inch mesh, 24, or 36 inches high, is largely used to render heavy stock fences rabbit proof, and we have sold this for protecting orchards and vineyards from this pest of the Western fruit grower.

Outside Cemetery Fence.

The large number of Cemeteries now enclosed with our nettings, attest their value for this purpose. We suggest 52-inch netting 5x8 mesh, 50-inch 4x7, or 50-inch 3x6 mesh, if put up as in cut No. 3; or 42-inch 4x7 mesh, 38-inch 4x7 or 3x6 mesh, if put up as in cut No. 1. This latter is a more desirable way of putting it up, if the additional expense of base and rail can be afforded. [See page 17.]

Corrals and Movable Fences.

There are many farmers who want a fence that can be moved at a small expense. For this purpose the netting may be put on posts 40 to 60 feet apart, and light spreaders put in every 6 or 8 feet; thus not more than 10 to 20 posts need be used in 100 rods, and the netting in lengths of 5 to 10 rods stapled to the posts. When it is needed to be moved draw the staples and roll up the fence with the spreaders in and remove the posts to the place where they are wanted, and then it is not much labor to put on the wire again. Where there are fences that are between fields that are to be planted to the same crop it is thus easy to avoid much turning, and the extra grain that is raised where the fence stood will pay the expense of moving. With this plan much less fence will serve on the farm and the expense of cultivation be reduced.

To Raisers of Sheep.


This is the fence that is wanted. It is absolute protection from the roving dogs in the more populous parts of the country, and from the wolves on the prairies. Even the cunning fox is barred out by the netting. Then it never catches the wool nor spoils the fleece.

The Breeders of Fine Cattle

Will find this fence the best for their purpose. We have sizes that are strong enough that no bull can break the fence, and there is no chance of injury to the finest animals. We cannot too strongly recommend our fence to this class of patrons.

LAWN FENCES.

These fences we recommend for lots in town or lawns in country. 34 inch 4x7 mesh, 38-inch 4x7, or our 3x6 mesh, are the sizes most suitable for this style shown in cut No. 1.



Cut No. 1—Lawn Gate.



**Cut No. 2.
Base and Rail.**

The base and rail we do not furnish, because it can usually be bought as cheap by the customer at his home market, and the freight saved.

Cut No. 2 shows how the wire is to be put on, and the comparative size of base, rail and post. We prefer pine or poplar for base, size 1x8 inch, rail 2x3 or 2x4, set edgewise, so as to project $\frac{1}{4}$ inch over post top. Bottom wire should go between the base and the post and $1\frac{1}{2}$ inch down from top of the base, and stapled to the back of base. Post 4x4, taper 2x4, set about 7 feet apart. This fence is better and much prettier than picket fence, and can be put up much cheaper; costs one-half less to keep painted and in good repair, and is far more durable; shows a handsome lawn off to advantage.

N. B. Gate with this may be ornamental, and add to the beauty. [See page 17.]

ORNAMENTAL FENCING.

To parties who are improving yards, parks, etc., we are now able to offer a variety of ornamental and substantial fancy fencing, that we feel sure will meet the public favor. Picket or paling fence, has long been the standard fence for such use, and all iron fences have heretofore been considered beyond the means of the average buyer. Our netting, put up neatly, with dressed posts, base and rail, and scroll top on gate, can be completed and kept in order cheaper than first-class paling fence, and is much more attractive and durable. Our all iron fence of various designs are new, handsome, and cheaper than this class of work has been put on the market heretofore.

PICKETS.


Cut No. 11 shows one of our malleable pickets, which is used on railing, as shown in cut No. 10. These pickets, being made malleable, are not easily broken and add much to the beauty of the fence. Each one occupies twelve inches space, are nicely blacked and furnished with screws,



Cut No. 11. Price 10 Cents.

MALLEABLE PICKET.

all complete, cost 10 cents each. Pickets for end posts, corner or gate posts, same price.



Cut No. 10. ORNAMENTAL TOP AND GATE.

The suggestions given on pages 14 and 15, for cut No. 1, apply to this style (No. 10) as well. It is one of our very prettiest styles, and cannot fail to satisfy the most fastidious.

[For heights, see pages 20, 21 and 22.]

[See page 17.]

SPECIAL PRICES.

On account of the changes in prices of material, our prices are subject to change without notice. Many of our best customers want to see just what the cost will be, including freight.

We wish to say plainly that we are always glad to have the opportunity of making special estimate to any one who will write for net price on just the amount and kind of fence wanted. He can then know by personal letter just what his goods will cost. To do this, we must know:

1. Height of netting wanted.
2. Numbers of rods or feet (total) wanted.
3. Size of mesh wanted.
4. **Galvanized or Painted.**
5. Whether railing, base, or both, will be used, and width of same.
6. Height and width of gates.
7. Self-closing springs, if wanted.
8. Tools and staples, if wanted.
9. Will cut special length, if desired.

Terms Cash, on receipt of Bill of Lading. Two per cent. discount allowed, when cash accompanies the order. Goods sent C. O. D., unless we know something by reference or otherwise of the party ordering. Our method of sending by freight C. O. D., is to ship goods in our own name and send Bill of Lading to nearest bank, to be held until the goods arrive and can be examined; or, we can send to money order office, if desired. When buyer has examined goods, and found all to be as represented, he pays the Draft and receives the Bill of Lading and the goods. This makes both consignor and consignee safe in the transaction. When sending money with the order, it can be done by Draft, Post Office Order, Registered Letter, or Express, prepaid. We make these suggestions in answer to a question we are often asked: "How shall we send money?"



Cut No. 28.

Represents section of netting, 42 inches wide, 4x7 mesh.

SMALL MESH NETTING.

This Wire is Galvanized after being Woven.

There is a growing demand for small mesh, light wire goods, found useful for so many purposes. This class of goods comes in rolls of 150 lineal feet, and in widths 12, 18, 24, 30, 36, 42, 48, 60 or 72 inches, and sizes of wires as noted in the list below. Besides our heavy work we have first quality, full weight goods of this class, the best in the market. None of this small mesh netting, however, is designed as a protection against hogs, cattle, and horses, except the 2-inch mesh, No. 15 wire. That size is strong, and will do very well anywhere; but it is preferable to use a railing at top, where it is exposed to heavy stock, and is not so good as our heavy netting, 3x6.

POULTRY YARDS.

Where poultry yards come next to stock lots, our 3x6 mesh heavy netting is the thing to use; but where nothing is to be kept but poultry, this 2-inch mesh is the nicest and best thing in use. The 2-inch mesh of No. 19 wire is lower in price, but not near so good as that made of No. 18 wire, as priced below.

PRICE LIST OF SMALL MESH NETTING.

$\frac{1}{2}$	inch mesh, No. 22 wire, . . .	18 $\frac{1}{2}$	cts. per square foot.
$\frac{3}{4}$	" No. 20 " . . .	9	" " "
1	" No. 20 " . . .	5	" " "
1 $\frac{1}{2}$	" No. 19 " . . .	3 $\frac{1}{2}$	" " "
1 $\frac{1}{2}$	" No. 18 " . . .	4 $\frac{1}{2}$	" " "
2	" No. 19 " . . .	2 $\frac{1}{2}$	" " "
2	" No. 18 " . . .	3 $\frac{1}{4}$	" " "
2	" No. 15 " . . .	7 $\frac{1}{4}$	" " "

Discount on Full Rolls, - - - 65 Per Cent.
" on Cut Lengths, - - - 60 "

~~See~~ This Discount applies to this page only.

Special Prices on lots of 20 Rolls, or more.

PRICE LIST OF NETTING.

Size of Mesh, 4x7.

Margin No. 8 or 9 — Mesh No. 13 Wire.

Height in In.	Pounds per Rod.	Pounds per 100 Ft.	Net per Rod Painted.	Net per Rod Galvan.	Net per 100 Ft Painted.	Net per 100 Ft. Galvan.
18	6½	37	\$ 56	\$ 61	\$3 35	\$ 3 69
22	7	42	60	66	3 60	3 96
26	7¾	46	65	71	3 88	4 27
30	8½	51	69	76	4 15	4 57
34	9½	56	74	81	4 43	4 87
38	10½	61	78	86	4 70	5 17
42	11	66	83	91	4 95	5 45
46	12	71	88	96	5 25	5 78
50	13	77	93	1 02	5 55	6 11
54	13¾	82	98	1 07	5 85	6 44
58	14½	87	1 03	1 13	6 15	6 77
62	15½	93	1 08	1 19	6 45	7 10
66	16	97	1 13	1 24	6 75	7 43
70	17	102	1 18	1 30	7 05	7 75

These are the widths as woven in the machine, but owing to the spring of the wire it may not appear full width. **The number of meshes, multiplied by size of mesh, will give the width.**

The height of netting we count by meshes—4 inches for each mesh and 2 inches for the half mesh in 4x7, and 5 inches for each mesh and 2 inches for the half mesh in 5x8; 3 inches for each mesh in 3x6.

We make rolls of any length up to 400 feet, or even 600 feet.

[See page 17.]

PRICE LIST OF NETTING.**Size of Mesh, 5x8.**

Margin No. 8 or 9 — No. 13 Wire.

Height in in.	Pounds per Rod.	Pounds per 100 Ft.	Net per Rod Painted.	Net per Rod Galvan.	Net per 100 Ft Painted.	Net per 100 Ft. Galvan.
22	6½	37	\$ 56	\$ 61	\$3 35	\$ 3 69
27	7	42	60	66	3 60	3 96
32	7¾	46	65	71	3 88	4 27
37	8½	51	69	76	4 15	4 57
42	9½	56	74	81	4 43	4 87
47	10¼	61	78	86	4 70	5 17
52	11	66	83	91	4 95	5 45
57	12	71	88	96	5 25	5 78
62	12¾	77	93	1 02	5 55	6 11
67	13½	82	98	1 07	5 85	6 44

Note the **extra heavy weight** of the wire we use, and the **smallness of the mesh**, and you will find we make the cheapest, strongest and closest twisted netting offered on the market.

We are often asked for samples. We can not send a full width sample by mail, but can send sample mesh, showing size and kind of wire and kind of twist. A single mesh does not show as strong as the whole fence appears when set up.

PRICE LIST OF 3-6 MESH NETTING.

(IN STOCK.)

Margin No. 8 or 9 — Mesh No. 14 Wire.

Height in In.	Pounds per Rod.	Pounds per 100 Ft.	Net per Rod Painted.	Net per Rod Galvan.	Net per 100 Ft Painted.	Net per 100 Ft. Galvan.
26	7 $\frac{3}{4}$	46	\$ 70	\$ 77	\$4 20	\$ 4 62
32	9	54	76	84	4 58	5 04
38	10	61	83	91	5 00	5 50
44	11 $\frac{3}{4}$	68	90	99	5 40	5 94
50	13	77	98	1 08	5 85	6 44
56	14	85	1 05	1 15	6 30	6 93
62	15 $\frac{1}{4}$	93	1 13	1 24	6 75	7 43
68	16 $\frac{1}{2}$	100	1 20	1 32	7 20	7 92

This netting is made especially for Poultry Yards and Gardens, and is heavy and strong enough for all kinds of stock.

For lawns, and everywhere, where it is not specially desirable to stop half-grown chickens, we would advise our regular 4x7 mesh of No. 13 wire, as it will be found quite as desirable, and cheaper.

All Prices subject to change without notice.

[See page 17.]

Single Rail Iron Fence.


This fence, as shown by cut No. 30, next page, is designed especially for division fences, between town lots, and is one of our best for that purpose. It is very neat and tasteful in appearance, does not obstruct the view or sunshine, yet is substantial and affords all necessary protection. It is easily put up, very little or no expense to keep in repair, and being made of machine woven network, is very reasonable in price. It makes a splendid support for vines, which may be trained to cover it with no injury whatever to the fence. Although especially designed for division fences, it may be used for outside fence, if wanted. Can be made to fit any slope desired. We use in the construction of this fence the following material:

Posts.—These are made of $1\frac{1}{2}$ in. (outside measure) gas pipe bolted to an upright wrought iron base, which base is two feet long, 4 inches wide and $\frac{1}{4}$ inch thick, having the lower end split and bent off at right angles, thus preventing any possibility of being raised out of the ground by frost. The top of the post has a T fitting screwed on, through which the railing passes, or into which railing may be screwed.

Railing.—The railing is gas pipe of the same size as the posts, and is fastened on, either by passing through the slip T, mentioned above, or where the joint is made is screwed into the ends of the T or joined by couplings.

Netting.—The netting used for these fences may be of any kind desired, as shown on pages 19, 20, 21 or 22, and is fastened to the posts and railing with a neat wire wrapping.

This fence is so simple in construction that it can be easily put up by any one who will follow the directions. The only tools needed are pliers and an ordinary monkey wrench.



Cut No. 30.

PRICES.

38 inches high, or less,	40c. per foot.
38 to 48 inches,	45c. " "
Over 48 inches,	50c. " "


Ornaments like cut No. 11, on page 15, put on for 15c. per foot extra.

 Send diagram and exact measure when asking for estimate or when sending order.


ALL IRON FENCES.

We also make several styles of All Iron Fence, which, for strength, neatness and low price excel anything on the market. These fences are of wrought iron pipe and galvanized wire, made in sections 8, 10 or 12 ft., to suit diagram; sections joined by clamp couplings. May be set in stone blocks, or placed on stone wall; or we furnish without extra charge, iron plates to be put two feet under ground, into which posts or braces are bolted. [See cut No. 13.]

These Fences are made any height not to exceed 5 ft., at prices named below.




Cut No. 9. Price, Complete.—4x7 mesh, 60c. per ft.; 3x6 mesh, 65c. per ft.; 2x3 mesh, 70c. per ft. We furnish iron bases for this style. For Gates, see page 34. When ordering, send diagram.



Cut No. 13.

Price, complete.—4x7 mesh, 80c. per ft.; 3x6 mesh, 85c. per ft.; 2x3 mesh, 90c. per ft. Gates as on page 35. Any desired height, not to exceed 5 feet, at these prices.


Cut No. 13 is a handsome fence, with wrought scroll ornaments. Any of these styles make very neat and tasty fences for door-yards and cemeteries, and have more iron in the ground than any other iron fence of double the price. **Extra heights to order.**



Cut No. 22.

Price, complete.—4x7 mesh, 80c. per foot; 3x6 mesh, 85c. per foot; 2x3 mesh, 90c. per foot. Gates as on page 35. Any desired height, not to exceed 5 feet, at these prices.

Cut No. 22 represents our All Iron Fence, with the "picket" ornament, and also post ornaments. One of our prettiest designs. **Extra heights to order.**



Cut No. 23.

Price, complete.—90 cents per foot. Gates as on page 35.


Cut No. 23 shows same fence as No. 22, but with 2x3 inch mesh. We think this fence can not be excelled in beauty, strength and durability, at equal price.

Any desired height, not to exceed 5 feet, at this price.

Extra heights to order.

**ALL STYLES OF IRON FENCES MADE 38 INCHES BETWEEN RAILS,
UNLESS OTHERWISE ORDERED.**

FENCING FOR CEMETERY LOTS.




Cut No. 20.

Price, complete.—4x7 mesh, 60c. per ft.; 3x6, 65c. per ft.; 2x3, 70c. per ft. Gates as on page 35.

This is our plainest style of cemetery lot fences, and is just the same as cut No. 9. It is used with stone or iron bases. We furnish iron bases only. When ordering, please send diagram.

FENCING FOR CEMETERY LOTS.




Cut No. 8.

Price, complete.—4x7 mesh, 75c. per ft.; 3x6, 80c. per ft.; 2x3, 85c. per ft. Gates as on page 35.

Cut No. 8 represents family lot in cemetery, enclosed with style No. 12. Any other style, if preferred, may be used at prices as indicated. When ordering all iron goods, please send diagram showing shape and measure of enclosure, so that we can tell exactly what to send.

FENCING FOR CEMETERY LOTS.




Cut No. 24.

Price, complete.—4x7 mesh, 80c. per foot; 3x6 mesh, 85c. per foot; 2x3 mesh, 90c. per foot.
(For Gates, see Gate List.)

Cut No. 24 represents another style of cemetery lot fence. In ordering, give directions about placing gate, if there is any preference as to side or end. Please send diagram.

SEDGWICK GATES.


The Sedgwick Gates are made of wrought iron pipe and steel wire, and defy all competition in neatness,



Cut No. 6. (See Price List, p. 35.)

lightness, strength and durability, suitable for farms, lawns, cemeteries, etc.


These Gates are all fitted with our adjustable hinge that allows the Gate being set high or low, and to open either way, or both ways, with spring latch, and either double or reversible catch, as per order. Reversible catch is best. Have made recent improvements, which increase the firmness and strength, making them entirely reliable for any purpose. In wider sizes we make them with two center pieces.



Cut No. 25.

Nos. 6 and 25 represent our Single Drive Gates, plain and ornamental. These Gates are 10 feet wide, (11 feet and 12 feet, or odd sizes, made to order,) and weigh 45 to 55 lbs. For prices, see lists, pages 34 and 35. Odd sizes at special prices.

ORNAMENTAL GATE.—SINGLE, DOUBLE, AND LAWN.




Cut No. 16—Double Lawn Gate.

(See Price List, pp. 34, 35.)

SINGLE AND DOUBLE LAWNS.

Cuts No. 26 and 27 represent our plain and ornamental single Lawn Gates, and cut No. 16 our double Lawn Gate; (this gate is also made plain, if so ordered). For lawns, the single gates, 3 feet and 3 feet 4, are the preferable widths. School lots and cemeteries usually prefer 4 feet single or 8 feet double. We have sold thousands of these gates, and have never heard a word of complaint from a single customer.



No. 27—Ornamental Lawn Gate.



No. 26—Plain Lawn Gate.

PRICE LIST OF PLAIN GATES.

	Each.
SINGLE	
3 ft. wide	\$ 3 00
3 ft. 4 in. wide	3 40
4 ft. wide	3 80
5 ft. wide	4 30
6 ft. wide, one center piece	4 90
7 ft. wide, " "	5 50
8 ft. wide, " "	6 00
9 ft. wide, " "	6 60
10 ft. wide, two center pieces	7 50
11 ft. wide, " "	8 10
12 ft. wide, " "	8 65
DOUBLE	
6 ft. wide	6 00
8 ft. wide	7 60
10 ft. wide	8 60
12 ft. wide one center piece each	9 80
14 ft. wide " " "	11 00
16 ft. wide " " "	12 00

Other sizes made to order, at corresponding rates.

Attachments necessary for hanging the Gates are included in the prices above.

Order Gate for base and rail 4 inches higher than the netting; without base and rail, 4 inches lower. **The measure is to the beginning of the arch, not to the top of the gate.**

The space that a 3-foot Gate fills is 3 feet 3 inches.

 Self-Closing Springs for Lawn Gates are 20 cents each. Good for Gates 3 ft. or 3 ft. 4 inches, opening one way only.

Space Between Posts.—Single Gates, 3 inches wider than the gate; Double Gates, 4½ inches.

PRICE LIST OF ORNAMENTAL GATES.


	Each.
SINGLE { 3 ft. wide	\$ 3 75
3 ft. 4 inch. wide.....	4 15
4 ft. wide	4 50
5 ft. wide	5 10
6 ft. wide, one center piece	5 70
7 ft. wide, " "	6 25
8 ft. wide, " "	6 75
9 ft. wide, " "	7 35
10 ft. wide, two center pieces.....	8 25
11 ft. wide, " "	8 90
12 ft. wide, " "	9 40
DOUBLE { 6 ft. wide	7 50
8 ft. wide	9 00
10 ft. wide	10 20
12 ft. wide, one center piece each.....	11 40
14 ft. wide, " " "	12 50
16 ft. wide. " " "	13 50

 Our Gates are made to suit the height of the fence. In ordering, please state the height wanted. And if for any special width, give the exact distance between posts. **The measure is to the beginning of the arch, and not to the top of the gate.**

We think a Single Gate BETTER than a Double Gate, of any width less than 12 feet.

We make the following regular heights: 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 60. and 66 inches.

AUTOMATIC, OR SELF-OPENING GATE.



Cut No. 7.

AUTOMATIC, OR SELF-OPENING GATE.

The utility of Self-Opening Gates is more and more appreciated. The man coming home in the rain, or with restless horses that are not safe to leave; women and aged people that can not get out of vehicles easily; the man on a load of hay; in fact everybody says this is the gate that is really convenient.

We ask attention to our must excellent Automatic Gates. These are made of wrought iron pipe and galvanized steel wire (unless painted is ordered). Plain or with ornamental tops. They embody all the latest improvements, with few and simple working parts, having single trip or wheel irons, always in position and of sufficient length to be easily hit on dark nights, and cannot be run against the wrong way. The special advantages of single trip irons are, they are always up, no danger of hitting the wrong part, and no danger of breakage.

Working Parts Above Freeze.

This gate has the further advantage that all the working parts are above the usual fall of snow, and always in working order. The hanging at top hinge is so arranged as to allow for adjustment for any ordinary settling of post. We have no hesitancy in recommending to the public our all iron and steel Automatic Gate as the best and cheapest automatic gate now made. Full directions for placing in position accompany each gate. Many hundreds of these are in use, and working perfectly.

Prices.

Automatic Gates, 8, 9, 10, 11 and 12 ft.

wide \$10.00 net, extra.

See Gate lists, pages 34 and 35.

Hand Lever for Automatic Gate \$1.00


FREIGHT.

We deliver all goods on cars here in good order. Most all railways carry our goods at 4th class rate. The present rate will carry 100 rods 500 miles at about an average cost of \$5. We can often, but not always, get freights guaranteed; but goods are carried at schedule prices. No packing or boxing except staples and tools in a small box. The goods, when finished, are in a good shape for shipping. We always do our best in getting best rates possible.

Summer Houses and Lawn Furniture.

We are now making chairs, sofas, etc., of net work, with gas pipe frames, which are meeting the highest commendation. They are light and easily handled, comfortable in every respect, and can be left out on the lawn year after year, uninjured by rain, heat, or cold. Have no place to catch and hold dew or rain, but are ready for use at all times.

Our Summer Houses are models of excellence, and can not fail to please in appearance the most fastidious, besides being substantial and durable. They are constructed of heavy pipe and wire, and made in sections that may be easily handled in shipping and in putting up. Octagon in shape, they are firmly held in place by eight iron posts, extending two feet into the ground, secured to iron foundation plates.




SUMMER HOUSES.

8 ft. diameter	\$ 55 00
10 ft. "	60 00
12 ft. "	70 00
14 ft. "	100 00

This price includes Ornamental Top, as shown in the cut.

8 ft. diameter—Plain Top	\$ 50 00
10 ft. " " "	55 00
12 ft. " " "	64 00
14 ft. " " "	90 00

Special arrangements of seating and opening, at special prices.



SOFA—4 ft. long, \$6.00
5 " 7.00
6 " 8.00

CHAIR—Without arms, \$4.00
With arms, 5.00
Casters, 75c. extra.

A DOZEN REASONS FOR BUYING OUR GOODS.

- 1st. Great durability, little or no repairs for a generation.
- 2d. No damage can result from fire, proof against heat or cold, wind or rain, and stands the floods.
- 3d. Because ours is the **heaviest** and **strongest** netting in the market. It has the **best twist**, best shaped mesh, **best sizes** of mesh for practical use, and best margin.
- 4th. It is much stronger and more durable than Barb Fencing.
- 5th. More durable than slat and wire, will not **warp** after putting up, and is much more easily repaired if broken down.
- 6th. It can be readily taken down, rolled up and transported, when desirable to change location.
- 7th. It is light and tasty for an ornamental Fence, and offers no obstruction to the view.
- 8th. It is adapted to sections where timber is scarce or where they are subject to heavy falls of snow, as it presents no surface for snow drifts.
- 9th. It is adapted to bottom lands as it will allow a free passage of water.
- 10th. It can be put on either wood or iron posts, and it is made of the best material and in the best possible manner.
- 11th. Because our gates match our netting and are not excelled anywhere.
- 12th. Because our dealings are fair and our prices are reasonable.

$$\begin{array}{r}
 66 \\
 16 \\
 \hline
 82 \\
 16 \overline{) 775}
 \end{array}$$

$$\begin{array}{r}
 72 \\
 42 \\
 \hline
 \end{array}$$

32

$$\begin{array}{r}
 288 \\
 36 \\
 \hline
 \end{array}$$

$$\begin{array}{r}
 16 \\
 42 \\
 \hline
 648
 \end{array}$$

$$\begin{array}{r}
 324 \\
 \hline
 \end{array}$$



Digitized by ASSOCIATION FOR PRESERVATION TECHNOLOGY, www.apti.org for the
BUILDING TECHNOLOGY HERITAGE LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

from the collection of Gerron S. Hite, West Texas Collection, Angelo State University, San Angelo, TX



Digitized by ASSOCIATION FOR PRESERVATION TECHNOLOGY, www.apti.org for the
BUILDING TECHNOLOGY HERITAGE LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

from the collection of Gerron S. Hite, West Texas Collection, Angelo State University, San Angelo, TX



